

ESTABLISHED 1915

P. S. GRANDCOLAS

7113 Circlevue Drive


St. Louis County 23, Mo.

A.C. BEEMAN
Company

1737-39 N.W. 3RD ST

OKLAHOMA CITY 4, OKLAHOMA

ALUMINUM LETTERS



BRONZE LETTERS






TABLETS


PLAQUES

HONOR ROLLS

NAME PLATES

BRONZE AND ALUMINUM THRESHOLDS - STAIR TREADS





Cast Aluminum Letters and Emblems serve as an excellent identification for the above modern office building.



U. S. Naval and Marine Corps employs Aluminum Letters and Emblem Base mounted on structural glass.



Script and Futura style letters of Aluminum base mounted on marquee.

*Bronze and Aluminum
Letters and Emblems*

Made to Your Specifications


Wood Carving



30" x 1½" stroke x 5" deep Aluminum letters mounted from the ceiling entrance Hightower Building, Oklahoma City, Okla.



Futura Style Aluminum Letters




Two of the 42" Bronze Emblems shown above were cast from our hand carved pattern and used on the office building of the United States Fidelity and Guaranty Co., Boston, Mass.



Cast Aluminum Emblem
Size 30" x 36"



Kabel Style Aluminum Letters



BRONZE LETTERS

North Fort Worth State Bank, Fort Worth, Texas




ILLUMINATED ALUMINUM LETTERS

Night view shows the beautiful effect which is obtained by using Neon with Metal Letters. The Neon tubes are concealed, and were made to conform to the shape of the letters. Unlike the ordinary Neon sign, this makes an attractive sign day or night. Size of letters on the above sign 30" x 24" x 12".

PATTERN LETTERS IN STOCK

No. 301 FUTURA STYLE (FLAT FACED)

Very popular for its dignified appearance, extra wide face and great depth. Suitable for all sign needs, adaptable for neon, can be erected in any manner.



HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
2"	1-5/8"	7/16"	1/2"
3"	2-7/16"	5/8"	5/8"
4"	3-1/4"	13/16"	3/4"
5"	4-1/8"	1-1/16"	7/8"
6"	4-7/8"	1-1/4"	1"
8"	6-1/2"	1-11/16"	1-1/4"
10"	8-1/4"	2-1/8"	1-1/2"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
12"	9-3/4"	2-1/2"	1-3/4"
14"	11-3/8"	2-15/16"	2"
16"	13"	3-3/8"	2-1/4"
18"	14-3/4"	3-13/16"	2-1/2"
20"	16-1/2"	4-1/4"	3"
24"	19-1/2"	5-1/8"	3"

No. 201 KABEL STYLE (FLAT FACED)

Very attractive, moderately priced letter especially suitable for schools and churches. Not suitable for base mounting.




HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
2"	1-1/2"	1/4"	1/4"
3"	2"	1/2"	1/4"
4"	2-3/4"	11/16"	1/4"
5"	3-1/2"	13/16"	1/2"
6"	4"	7/8"	1/2"
8"	5"	1-1/4"	5/8"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
10"	7"	1-9/16"	11/16"
12"	8"	1-11/16"	3/4"
14"	9"	1-7/8"	13/16"
16"	11"	2-1/16"	7/8"
18"	12"	2-1/4"	1"
20"	13"	2-9/16"	1-1/8"

No. 314 MODERN BLOCK STYLE (FLAT FACED)

Wide face, modern styled letter, easy to read. Can be erected in any manner.




HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
4"	3"	7/8"-3/4"	1/2"
6"	4-1/2"	1-1/2"-1-1/8"	5/8"
8"	6"	2"-1-1/2"	3/4"
10"	7-1/2"	2-1/2"-1-7/8"	7/8"
12"	9"	3"-2-1/4"	1"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
14"	10-1/2"	3-1/2"-2-5/8"	1-1/4"
16"	12"	4"-3"	1-1/2"
18"	13-1/2"	4-1/2"-3-1/2"	1-5/8"
20"	15"	5"-3-7/8"	1-3/4"
24"	18"	6"-4-1/2"	2"

No. 204 ARCHITECTURAL STYLE (FLAT FACED)

Popular for banks and public buildings.



HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
3"	2-1/2"	1/2" & 1/4"	3/8"
4"	3-3/4"	5/8" & 3/8"	3/8"
5"	4"	3/4" & 7/16"	1/2"
6"	5"	7/8" & 1/2"	3/4"
8"	6-5/8"	1-1/8" & 5/8"	3/4"
10"	8-1/4"	1-3/8" & 3/4"	3/4"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
12"	10"	1-1/2" & 3/4"	3/4"
14"	12"	1-7/8" & 1"	3/4"
16"	14"	2-3/16" & 1-1/4"	3/4"
18"	15"	2-5/8" & 1-5/16"	3/4"
20"	16-1/2"	2-5/8" & 1-3/8"	3/4"
24"	20"	2-13/16" & 1-1/8"	3/4"


No. 308 BROADWAY STYLE (FLAT FACED)

Always popular . . . modern styled letter.



HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
3"	2"	13/16"-3/8"	1/4"
6"	6"	1-7/8"-9/16"	9/16"
8"	7"	2-1/16"-3/4"	5/8"
10"	8"	2-11/16"-9/16"	3/4"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
12"	10"	2-7/8"-3/4"	1"
14"	12-1/2"	3"-1"	1"
16"	13"	3-3/8"-1-1/4"	1"



No. 310 BLOCK STYLE (FLAT FACED)

Wide face, very easy to read from great distance. Suitable for school and all sign needs. Adaptable for neon.



HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
4"	3"	7/8"	1/2"
6"	4-1/2"	1-1/2"	5/8"
8"	6"	2"	3/4"
10"	7-1/2"	2-1/2"	7/8"
12"	9"	3"	1"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
14"	10-1/2"	3-1/2"	1-1/4"
16"	12"	4"	1-1/2"
18"	13-1/2"	4-1/2"	1-5/8"
20"	15"	5"	1-3/4"
24"	18"	6"	2"



No. 214 ROFF Style



HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
2"	1-1/8"	3/16"	3/8"
3"	1-3/4"	9/32"	9/16"
4"	2-3/8"	3/8"	3/4"
5"	3"	15/32"	15/16"
6"	3-1/2"	9/16"	1-1/8"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
8"	4-3/4"	3/4"	1-1/2"
10"	5-7/8"	15/16"	1-7/8"
12"	7"	1-1/8"	2-1/4"
14"	8-1/8"	1-5/16"	2-5/8"
16"	10-1/2"	1-11/16"	3-1/2"



No. 320 THIN RIBBON STYLE (FLAT FACED)



For smaller signs. Graceful styling, slender faced, always popular in modern architecture.

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
2"	1-1/2"	1/8"	1/2"
3"	2"	3/16"	3/4"
4"	2-3/4"	1/4"	3/4"
5"	3-1/2"	1/4"	3/4"
6"	4"	1/4"	3/4"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
8"	5"	1/4"	7/8"
10"	7"	5/16"	7/8"
12"	8"	3/8"	1-1/16"
14"	9"	1/2"	1-1/4"
16"	10"	5/8"	1-1/4"



No. 305 HEAVY RIBBON (MODERN NARROW FACE)




HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
2"	1-1/2"	1/4"	3/4"
3"	2"	5/16"	1"
4"	2-3/4"	3/8"	1-1/8"
5"	3-1/2"	7/16"	1-3/8"
6"	4"	7/16"	1-1/2"

HEIGHT	AVERAGE WIDTH	WIDTH OF STROKE	DEPTH OR THICKNESS
8"	5"	1/2"	1-7/8"
10"	7"	5/8"	2-1/8"
12"	8"	3/4"	2-1/2"
15"	10"	7/8"	3"
18"	12"	7/8"	3"


THIS PAGE ILLUSTRATES ONLY A FEW OF THE MANY HUNDREDS OF BRONZE AND ALUMINUM TABLETS WE HAVE MADE



Size 28" x 32"



Size 36" x 27"



Grave Markers, Size 12" x 24"

We can furnish most any standard emblems for inclusion in Grave Markers. Note the Masonic Emblem in the above.


Civic Tablets


Military Plaques

Commemorative Tablets


Name Plates

We make Bronze and Aluminum Tablets of any size or design either using our standard borders and pattern letters or to meet your requirements.







Bronze Plaque Mounted on Walnut Background



Four of Our Most Popular Tablet Letters, All 1/8" Thick. Letters 2 1/2" High, or Over, Can Be Made From 1/8" to 3/8" Thickness. Special Order.

BLOCK STYLE →
CONDENSED BLOCK STYLE →
BROADWAY STYLE →
ARCHITECTURAL STYLE →




Concealed Fastening—The best method of fastening small tablets to masonry. Absence of any visible means of fastening discourages vandalism for souvenir collections.

1. Pins are screwed into lugs on the back of tablet, pin positions are marked on the wall.
2. Holes are drilled in the wall slightly larger than the pins then filled with DuPont Water Proof or household cement.
3. Press the tablet against the wall firmly braced and let set for two hours. Care should be taken to protect tablet surface when bracing.


ROSETTE MOUNTED

Theft Proof. When tablet has been fastened to the wall, remove pins in rosettes and screw rosettes in to threaded holes in screws. Drill holes into tablet through holes in rosettes, and drive pins into rosettes and tablet. Pins keep the rosettes from being removed.


STANDARD BORDER TYPES




No. 105




No. 108




No. 106




No. 109



No. 107



No. 110



FINISHES FOR ALUMINUM LETTERS

POLISHING

Finish No. 1—Air Dry Enamel—Any Color
 Finish No. 2—Baked Enamel—Any Color
 Finish No. 3—Satin Finish Face, Sand Blast Edges, Lacquered

PAINTING

ALUMILITING

Finish No. 4—Alumilite, Satin Finished Face, Sand Blasted Edges
 Finish No. 5—Alumilite, Polished Face, Sand Blasted Edges
 Finish No. 6—Alumilite, Polished Face, Filed and Ground Edges


Finishes for BRONZE LETTERS

- 1 Sand blasted edges, satin finished faces
- 2 Sand blasted edges, bright polished faces
- 3 Sand blasted edges, oxidized, with polished or satin finished faces

PLEASE MENTION HOW LETTERS ARE TO BE MOUNTED and GIVE LENGTH OF SIGN. FOR AN EASY AND SIMPLE METHOD OF MOUNTING THE LETTERS WE FURNISH PAPER DRILLING TEMPLATES FOR PROPER SPACING OF THE LETTERS AND DRILLING MASONRY.

TYPE PM-8

Projected Mounting to Masonry




Install studs (A) into tapped lugs on backs of letters. In corresponding positions drill $\frac{3}{8}$ " diameter holes (B) 2" deep into masonry and fill with quick setting cement. Place washer (C) and aluminum sleeves (D) of desired length over studs.

Press letter with projecting studs into cement-filled holes.

TYPE BM-4

Metal Base Mounting




Letters for this type of mounting can be furnished with flat ground bottom edges having tapped holes, for a small additional cost. Layout and properly space letters on bench or floor. Mark, drill and countersink holes in metal base corresponding to positions of holes in bottom of letters and fasten with flat head machine screws.

The following styles are suitable for base mounting. FUTURA — BROADWAY — BLOCK — MODERN BLOCK — HUXLEY — GOTHIC — RIBBON. Write for prices if you desire us to furnish the letters completely assembled to bars or channels.

TYPE FM-5

Horizontal Bar Metal Mounting to Masonry


Attach letters to metal bar (A) with flat head machine screws. Place assembled sign against wall and indicate in spaces between letters positions for screw anchors (B) and screw holes in metal bars. Remove sign, drill $\frac{3}{8}$ " diameter holes $\frac{3}{4}$ " deep into masonry and $\frac{3}{16}$ " holes through metal bars at indicated positions. Expand screw anchors (B) into masonry holes and affix sign to wall with No. 10/24 flat head machine screws.



NOTE: Expansion bolts may be substituted for screw anchors.

TYPE FM-1

Flush Mounting to Masonry



Install studs (A) into tapped lugs on backs of letters. In corresponding positions drill $\frac{3}{8}$ " diameter holes (B) 2" deep into masonry. Fill holes with No. 1 Smooth-on cement and press studs projecting from backs of letters into cement filled holes.

TYPE FM-3


Friction Type Mounting to Wood Backgrounds Not Accessible from the Back




Install brass studs (A) into tapped lugs on backs of letters. Drill holes into background in positions corresponding with studs (A) projecting from backs of letters. Place letter in position and, with equal pressure to prevent binding, force studs into holes already drilled in background.

TYPE PM-6

Projected Mounting to Masonry



Attach extensions (A) to backs of letters. In corresponding positions, drill $\frac{3}{8}$ " diameter holes $\frac{3}{4}$ " deep into masonry and set expansion bolts (B). Place letter with attached extension (A) over projecting studs of expansion bolts and fasten with nut (C).



**BRONZE OR ALUMINUM DESK PLATES WITH
SOLID WALNUT BASE AND BACK**

Overall size $3\frac{1}{2}'' \times 12''$
Metal plate size $10'' \times 2\frac{1}{4}''$


Stock No. 115



MEN AND WOMEN


Size $2'' \times 7\frac{1}{2}''$ Bronze or Aluminum Black back ground or aluminum finish.

Stock No. 10



Size $2'' \times 7\frac{1}{2}''$ Bronze or Aluminum


Stock No. 12



ROOM NUMBERS

Size $2'' \times 4''$ Bronze or Aluminum,
Black background or aluminum finish.

Stock No. 158



Stock No. 680


CADUCEUS

Stock sizes 12", 18", 24", 30", 36".

Cast Aluminum or Bronze, any size desired. Made to your specifications.




Stock No. 610




**CAST ALUMINUM OR
BRONZE CROSSES**

Sizes to 8 ft in height.

BRONZE ROOM NUMBERS



Beautiful Bronze Room Numbers, highly polished and lacquered. No screws to show on the face of the numbers since they are fastened from the back. Type FM 3, press the numbers against the wood to mark position of holes to be drilled. Use $7/64$ drill. Place small amount of DuPont, or household cement on the pins on the backs of the letters and press in place.



CAST BRONZE AND ALUMINUM GRILLS *Made to Your Specifications*

SAFETY TREADS—


Brass — Bronze — Aluminum

PLAIN AND CROSS-HATCH PATTERNS


Our Safety Treads have properly sized diamond hard Aluminum Oxide abrasive grits securely embedded in the metal matrix during the casting operation to a depth of not less than 1/8 of an inch, which provides an extremely hard, durable and safe walking surface. They will last a lifetime.

APPEARANCE AND ECONOMY







Bronze and Aluminum Safety Treads add to the attractiveness of all stairs. They will retain their original appearance after years of continual use.



#100 A
#100 B



#101 A
SPECIAL











ABRASIVE CASTINGS

PLAIN, FLUTED OR CROSS-HATCH
PATTERNS—SPECIAL SIZES MADE
TO ORDER

TABLE OF STANDARD WIDTHS

THICKNESS	BRASS OR BRONZE	ALUMINUM
1/4"	Up to 4"	Up to 9"
5/16"	Up to 10"	Up to 18"
3/8"	Up to 18"	Up to 30"
1/2"	Up to 30"	Up to 44"
5/8"	Up to 44"	Up to 44"



ANCHOR FOR CONCRETE

WHITE METAL OR BRONZE DOOR PLATES FOR HOSPITALS, OFFICES, SCHOOLS, ETC.

Raised letters and border $\frac{1}{8}$ " high, highly polished, black lacquered baked enamel background. These plates are foundry castings, not stamped sheet metal. Any inscription not shown can be furnished, any size or style.



Plate Size $1\frac{1}{2}$ " x 9", Sold Only in Lots of 12 or More Assorted on Initial Order, Including PUSH, PULL, IN and OUT

Bath
Bookkeeper
Cafe
Cashier
Cafeteria
Collections

Colored
Colored Men
Colored Women
Come In
Employees Only
Exit

Entrance
Gentlemen
Keep Out
Ladies
Manager
Men

Notary
No Loitering
No Smoking
No Solicitors
Office
Rest Room

Smoking Room
White
White Men
White Women
Private



Name Plates may be had with or without room number above.



These Room Numbers are used by several of our largest Schools, University Dormitories and Hospitals. Send for sample.

Sizes 1" x 3" and $1\frac{1}{2}$ " x $4\frac{1}{2}$ "

DOOR PLATES FOR HOSPITALS

Ass't. Supt. of Nurses
Business Manager
Cashier

Clinical Laboratory
Diet Kitchen
Doctors
Emergency Room No. 1

Engineer
Information
Linen
Ladies

Operating Room No. 1
Private
Record Room
Treatment Room

Superintendent
Supt. of Nurses
X-Ray Room

STOCK PLATES FOR SCHOOLS, OR SPECIAL SIZES MADE TO ORDER, SOLD IN ANY QUANTITY

Band Director
Band Instruments
Band Room
Band Uniforms
Boys

Girls
Janitor
Stair Way →
← Stair Way

Size $1\frac{1}{2}$ " x $11\frac{1}{4}$ "

Private
Principal
Teachers
Exit
Fire Escape

1st Grade
2nd Grade
3rd Grade
4th Grade


5th Grade
6th Grade
7th Grade
8th Grade

NAME PLATES

Doctor and Dental Office signs in Bronze or Aluminum. Any size desired.



Size 5" x 28" with $1\frac{1}{2}$ " raised letters.
Letters and Border Polished



Size 5" x 28" with $1\frac{1}{2}$ " and 1" raised letters.
Letters and Border Polished



Size $2\frac{1}{4}$ " x $9\frac{1}{2}$ "—With or Without Easel Backs

Ass't Manager
Cashier
Collections

Credit Dept.
Information
Manager

Next Window →
← Next Window
No Checks Cashed

Notary Public
Pay Here
Reserved

Room Clerk
Quiet Please

A. C. BEEMAN COMPANY, 1737-39 NORTHWEST 3RD STREET, OKLAHOMA CITY, OKLAHOMA, U. S. A.
ESTABLISHED 1915

Digitized by:



**ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL**

www.apti.org

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

**NATIONAL
BUILDING
ARTS
CENTER**

<http://web.nationalbuildingarts.org>